



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

COLORADO—*Denver*.—Month of March, 1898. Estimated population, 167,000. Total number of deaths, 149, including diphtheria, 2; scarlet fever, 1; and phthisis pulmonalis, 35 (cases contracted elsewhere).

CONNECTICUT—*Westport*.—Month of April, 1898. Estimated population, 4,000. Total number of deaths, 3.

ILLINOIS—*Springfield*.—Two weeks ended April 30, 1898. Estimated population, 40,000. Total deaths, 20, including phthisis pulmonalis, 4, and diphtheria, 1.

INDIANA—*Evansville*.—Month of April, 1898. Estimated population, 65,000. Total deaths, 59, including phthisis pulmonalis, 4, and enteric fever, 1.

MICHIGAN.—Week ended April 30, 1898. Reports to the State board of health from 81 observers indicate that pleuritis increased and remittent fever, intermittent fever, erysipelas, and consumption decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 147; measles at 67; scarlet fever at 30; diphtheria at 18; enteric fever at 18, and whooping cough at 12 places.

Grand Rapids.—Month of March, 1898. Estimated population, 90,000. Total number of deaths, 107, including enteric fever, 1; scarlet fever, 1; phthisis pulmonalis, 14, and whooping cough, 4.

NEW JERSEY—*Paterson*.—Month of March, 1898. Estimated population, 110,288. Total number of deaths, 152, including diphtheria, 8; enteric fever, 1, and phthisis pulmonalis, 27.

NORTH CAROLINA.—Month of March, 1898. Reports to the State Board of Health from 22 towns, having an aggregate population of 119,960; white, 66,639; colored, 53,321. Deaths, white, 61; colored, 73; total, 134, including phthisis pulmonalis, 29, and enteric fever, 4.

OHIO—*Toledo*.—Month of April, 1898. Estimated population, 143,755. Total number of deaths, 155, including diphtheria, 1 and phthisis pulmonalis, 12.

PENNSYLVANIA.—Month of April, 1898. Estimated population, 12,000. Total number of deaths, 11. No deaths from contagious diseases.

VIRGINIA—*Lynchburg*.—Month of April, 1898. Estimated population, 30,000. Total number of deaths, 28, white 12; colored, 16, including phthisis pulmonalis, 7, and enteric fever 1.